

# **Loop knotting machine E85-2** **The original from Rudolf Schad**



***Impressive quality  
and performance.  
Knot after knot.***



**Rudolf Schad  
GmbH & Co. KG**

Schulstraße 7 • 36154 Hosenfeld-Germany  
Telefon: 0049 66 50 96 21-0 • Telefax: 0049 66 50 96 21-98  
E-Mail: [info@r-schad.de](mailto:info@r-schad.de) • Internet: [www.r-schad.de](http://www.r-schad.de)

## **For feeding in and creating hanging loops in pieces of meat of every kind**

Through our many years of experience, our quality and ongoing enhancements to the loop knotting machine originally developed by company founder Rudolf Schad, we are valued as an international, firmly established, recognised partner for expertise and customer service for the butcher's trade and the meat industry.



### **Winning features of the E85 loop-knotting machine include:**

- Powerful puncturing force through tough products such as rind, legs, etc.
- No surface coating of the needle or risk of any residues in meat products
- Robust and stable construction
- Reliable and requires little maintenance
- Certified safety
- Easy to use and clean
- High machine productivity
- Option of higher needle position for thick products
- Selection of 4 needle diameters for optimum alignment to the product
- Global spare parts service
- Experienced and highly trained customer service
- Training for your staff
- Accessory options

**= Costs cut through less work and saved time!**

## Extra Options for the E85 Loop Knotting machine

Our extra options provide you with a multitude of possibilities for fitting additional features to your E85 loop-knotting machine. Choose from the following options:

A range of smoking rod attachments for hanging meat directly onto smoking skewers in lengths of 900 to 1100mm. The idea and useful, easy-to-use add-on for your smoked products. The attachment can be fitted either on the left or right side of the machine.

### 'STANDARD' smoking rod attachment – The robust version



### 'STOCKFIX' smoking rod attachment – The budget version DGM 20 2011 100 153.2



## Technical description:

### Technical data:

Footprint:	c. 1 square metre
Capacity:	c. 2,900 loops/hour
Motor:	0.37kW
Motor brake:	24 V/ DC
Connection:	230/400V, 50Hz
Control circuit:	24V/DC low voltage

### Dimensions:

Width:	870mm
Incl. smoking rod attachment:	1870mm
Depth:	750mm
Total height:	1200mm
Work table height:	850mm

### Weight:

Loop knotting machine	128kg
Incl. STANDARD attachment:	145kg
Incl. STOCKFIX attachment:	136kg
Incl. ERGONOMIC attachment:	150kg

**\*Subject to technical modifications\***

## GS and CE Approved